



Video

ARMI
TRACK LIGHT



**Quickinfo**

2700K, 3000K, 4000K
CRI90, 3 SDCM
L85/50000h
non DIM, 0-10V DIM, DALI-2

Types**Colours**

White Black

Light distributions

spot med. flood wide
flood

Order options

COLOUR TEMPERATURE

2700K

3000K

4000K

FINISH COLOUR

sandy white

sandy black

BEAM ANGLE ARMI 45

spot 19°

medium 29°

flood 44°

wide flood 56°

BEAM ANGLE ARMI 65

spot 18°

medium 27°

flood 38°

wide flood 54°

BEAM ANGLE ARMI 73

spot 14°

medium 28°

flood 40°

wide flood 50°



ARMI 45




CRI
>90

COB



IP20

DALI



TRACK LIGHT

SYSTEM POWER	COLOUR TEMP	LUMINOUS FLUX	ORDER CODE
11W 36V 250MA	3000K	935lm	32.04530
	4000K	981lm	



ARMI 65




CRI
>90

COB



IP20

DALI



TRACK LIGHT

SYSTEM POWER	COLOUR TEMP	LUMINOUS FLUX	ORDER CODE
14W 36V 350MA	3000K	1627lm	32.06528
	4000K	1708lm	



ARMI 73




CRI
>90

COB



IP20

DALI



TRACK LIGHT

SYSTEM POWER	COLOUR TEMP	LUMINOUS FLUX	ORDER CODE
25W 36V 600MA	3000K	2963lm	32.07326
	4000K	3111lm	