


**EMMA**

TRACK LIGHT



Quickinfo

2700K, 3000K, 4000K
CRI90, 3 SDCM
L85/50000h
non DIM, 0-10V DIM, DALI-2

Types**Colours**

White Black

Light distributions

spot med. flood wide
flood



youtube

Video

EMMA

TRACK LIGHT

Order options

COLOUR TEMPERATURE

2700K

3000K

4000K

FINISH COLOUR

sandy white

sandy black

BEAM ANGLE EMMA 45

spot 19°

medium 29°

flood 44°

wide flood 56°

BEAM ANGLE EMMA 62

spot 18°

medium 27°

flood 38°

wide flood 54°

BEAM ANGLE EMMA 73

spot 14°

medium 28°

flood 40°

wide flood 50°

BEAM ANGLE EMMA 90

spot 16°

medium 20°

flood 30°

wide flood 45°



EMMA 45



CRI
>90


COB



350°
90°

IP20

DALI



TRACK LIGHT

SYSTEM POWER	COLOUR TEMP	LUMINOUS FLUX	ORDER CODE
11W 36V 250MA	3000K	935lm	32.04515
	4000K	981lm	



EMMA 62



CRI
>90


COB



350°
90°

IP20

DALI



TRACK LIGHT

SYSTEM POWER	COLOUR TEMP	LUMINOUS FLUX	ORDER CODE
14W 36V 350MA	3000K	1627lm	32.06219
	4000K	1708lm	



EMMA 73



CRI
>90


COB



350°
90°

IP20

DALI



TRACK LIGHT

SYSTEM POWER	COLOUR TEMP	LUMINOUS FLUX	ORDER CODE
24W 36V 600MA	3000K	2963lm	32.07313
	4000K	3111lm	



EMMA 90



CRI
>90


COB



350°
90°

IP20

DALI



TRACK LIGHT

SYSTEM POWER	COLOUR TEMP	LUMINOUS FLUX	ORDER CODE
36W 36V 900MA	3000K	4509lm	32.09013
	4000K	4734lm	