


**Quickinfo**

2700K, 3000K, 4000K
CRI90, 3 SDCM
L85/50000h
non DIM, 0-10V DIM, DALI-2

Types**Colours**

White Black

Light distributions

spot med. flood wide
flood

HIGH LUMEN PRO

TRACK LIGHT

Order options

COLOUR TEMPERATURE

2700K

3000K

4000K

FINISH COLOUR

Sandy white

Sandy black

BEAM ANGLE 84

medium 21°

medium --

flood 40°

wide flood 60°

BEAM ANGLE 101

spot 22°

medium 33°

flood 55°

wide flood 68°




HIGH LUMEN PRO 84

CRI >90

COB

IP20

DALI



TRACK LIGHT			
SYSTEM POWER	COLOUR TEMP	LUMINOUS FLUX	ORDER CODE
23W 36V 600MA	3000K	2980lm	32.08423
	4000K	3129lm	




HIGH LUMEN PRO 101

CRI >90

COB

IP20

DALI



TRACK LIGHT			
SYSTEM POWER	COLOUR TEMP	LUMINOUS FLUX	ORDER CODE
39W 36V 1050MA	3000K	5274lm	32.10111
	4000K	5537lm	



Wall-Washer Anti-Glare Cover



60° Cut-Off Angle Anti-Glare Cover



50° Cut-Off Angle Anti-Glare Cover



+ Anti-Glare Accessory



Honeycomb




Stretched Textured Glass

HIGH LUMEN PRO


TRACK LIGHT

Optical accessories




50D Cut-off Angle Glare Cover

TYPE	SIZE(mm)	ORDER CODE
HIGH LUMEN PRO 84	84*27	73.08411
HIGH LUMEN PRO 101	101*28	73.10111




60D Cut-off Angle Glare Cover

TYPE	SIZE(mm)	ORDER CODE
HIGH LUMEN PRO 84	84*40	73.08412
HIGH LUMEN PRO 101	101*40	73.10112




Wall Washer

TYPE	SIZE(mm)	ORDER CODE
HIGH LUMEN PRO 84	84*44	73.08413
HIGH LUMEN PRO 101	101*52	73.10113




Honeycomb Louvre

TYPE	SIZE(mm)	ORDER CODE
HIGH LUMEN PRO 84	80*17	73.08415
HIGH LUMEN PRO 101	96*18	73.10115



"+" Anti-glare

TYPE	SIZE(mm)	ORDER CODE
HIGH LUMEN PRO 84	80*17	73.08416
HIGH LUMEN PRO 101	96*18	73.10116



Linear spread glass

TYPE	SIZE(mm)	ORDER CODE
HIGH LUMEN PRO 84	80*17	73.08417
HIGH LUMEN PRO 101	90*18	73.10117