




SHOWLITE



CABINET LIGHT






SHOWLITE

CABINET LIGHT






Quickinfo

2700K, 3000K, 4000K
CRI90, 3 SDCM
L85/50000h
non DIM, 0-10V DIM, DALI-2

Types



Colours



White Black

Light distributions



spot med. flood wide
flood

SHOWLITE

CABINET LIGHT

Order options

COLOUR TEMPERATURE

2700K

3000K

4000K

FINISH COLOUR

matte white

matte black

BEAM ANGLE SHOWLITE 50

spot 28°

medium 35°

flood 38°

wide flood 53°

BEAM ANGLE SHOWLITE 45

spot 19°

medium 23°

flood 28°

wide flood 46°


BEAM ANGLE SHOWLITE 45

spot 20°

medium 23°

flood 28°

wide flood 40°



SHOWLITE 50

CRI >90

COB


IP20

DALI

≤19 UGR

CABINET LIGHT

SYSTEM POWER	COLOUR TEMP	LUMINOUS FLUX	ORDER CODE
4W 12V 250MA	3000K	301lm	52.05013
	4000K	316lm	



SHOWLITE 45

CRI >90

COB


IP20

DALI

≤14 UGR

CABINET LIGHT

SYSTEM POWER	COLOUR TEMP	LUMINOUS FLUX	ORDER CODE
4W 12V 250MA	3000K	285lm	52.04526
	4000K	299lm	



SHOWLITE 45

CRI >90

COB


IP20

DALI

≤15 UGR

CABINET LIGHT

SYSTEM POWER	COLOUR TEMP	LUMINOUS FLUX	ORDER CODE
4W 12V 250MA	3000K	277lm	52.04525
	4000K	290lm	



Quickinfo

2700K, 3000K, 4000K
CRI90, 3 SDCM
L85/50000h
non DIM, 0-10V DIM, DALI-2

Types



Colours



White Black

Light distributions



WW

SHOWLITE

CABINET LIGHT

Order options

COLOUR TEMPERATURE
2700K
3000K
4000K

FINISH COLOUR
matte white
matte black

BEAM ANGLE SHOWLITE 30
ww Tilted 10° Beam 45°

BEAM ANGLE SHOWLITE 50
ww Tilted 10° Beam 48°



SHOWLITE 30

CRI
>90

COB

IP20

DALI

≤17
UGR



CABINET LIGHT

SYSTEM POWER	COLOUR TEMP	LUMINOUS FLUX	ORDER CODE
4W 12V 250MA	3000K 4000K	150lm 158lm	51.03027



SHOWLITE 50

CRI
>90

COB

IP20

DALI

≤26
UGR



CABINET LIGHT

SYSTEM POWER	COLOUR TEMP	LUMINOUS FLUX	ORDER CODE
9W 36V 200MA	3000K 4000K	425lm 446lm	51.05013